

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	351	380/286.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 08:17
S2	12	(over\$1writ\$3 replac\$3 replacement) with key and key with (infrequent rare scant sporadic) with (use using access\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 08:19
S7	11004	(small\$3 few\$3 low\$3 infrequent rare scant sporadic) with (use using access\$3) with key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 08:23
S8	5064	(count counter counting tally\$3 total\$3 tallies tallied) with (using access\$3 use) with key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 08:24
S9	548	S7 and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 08:24
S10	282	S9 and (remov\$3 clear\$3 flush\$3 delet\$3 over\$1writ\$3 replac\$3 replacement) with key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 08:25
S11	218	(encrypt\$3 encod\$3 encipher\$3 scrambl\$3 secur\$3 protect\$3) with key and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 08:25

EAST Search History (Prior Art)

S13	1906	S8 and (remov\$3 clear\$3 flush\$3 delet\$3 over\$1writ\$3 replac\$3 replacement) with key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 11:30
S14	12	S1 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 11:31
S15	1760	(count counter counting tally\$3 total\$3 tallies tallied) near2 (using access\$3 use utiliz\$5 encrypt\$3 encod\$3 encipher\$3 scrambl\$3) with key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 11:33
S16	31347	(small\$3 few\$3 low\$3 infrequent rare scant sporadic) with key and (remov\$3 clear\$3 flush\$3 delet\$3 over\$1writ\$3 replac\$3 replacement) with key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 11:34
S17	397	S15 and S16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 11:34
S18	303	S17 not (S2 S11 S14)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 11:34
S19	5	(count counter counting tally\$3 total\$3 tallies tallied) with key and (over\$1writ\$3 remov\$3 free\$3 clear\$3 replac\$5) with infrequent\$2 with key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 12:12

EAST Search History (Prior Art)

S21	148939	(count counter counting tally\$3 total\$3 tallies tallied) with (increment\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 12:25
S23	111967	(remov\$3 clear\$3 flush\$3 delet\$3 over\$1writ\$3 replac\$3 replacement) with key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 12:57
S24	4299	(remov\$3 clear\$3 flush\$3 delet\$3 over\$1writ\$3 replac\$3 replacement) with key and (count counter counting tally\$3 total\$3 tallies tallied) with key and (count counter counting tally\$3 total\$3 tallies tallied) with (low\$3 few\$3 infrequent\$2 small\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 12:58
S25	209	"713".clas. and S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 12:59
S26	196	(encrypt\$3 encod\$3 encipher\$3 scrambl\$3 secur\$3 protect\$3) with key and S25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 12:59

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3370	380/277-279,286.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 13:38
S2	7284	(count\$3 totaling total totaling tally\$3 tallies tallied) with key and (count\$3 totaling total totaling tally\$3 tallies tallied) with (increment\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 13:41
S3	2864	S2 and (count\$3 totaling total totaling tally\$3 tallies tallied) with (low\$3 small\$3 infrequent\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 13:43
S4	1472	S3 and (over\$1writ\$3 replac\$5 clear\$3 remov\$3 delet\$3) with (key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 13:44
S5	12	S1 and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 13:44
S6	1258	S4 and key with (sav\$3 stor\$3 memor\$3 cach\$3 escrow)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 13:52
S7	764	S4 and (over\$1writ\$3 replac\$5) with (key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 13:54

EAST Search History (Prior Art)

S8	718	S7 and key with (sav\$3 stor\$3 memor\$3 cach\$3 escrow)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 13:54
S9	328	S8 and (infrequent\$2 unused stail ancient outmoded archaic) with key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 14:10
S10	390	S8 not S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 14:18
S11	110	(over\$1writ\$3) with new near2 key and key with (time date)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 14:29
S15	203	(encrypt\$3 encod\$3 encipher\$3 scrambl\$3) near2 key and key with (usage access) near2 (count\$3 total\$3 tally tallies tallied) with key	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/15 15:58
S16	193	S15 not (S10 S11)	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/15 15:59
S17	76	(encrypt\$3 encod\$3 encipher\$3 scrambl\$3) near2 key and key with (usage access) near2 (count\$3 total\$3 tally tallies tallied) with key and (over\$1writ\$3 replac\$5) with key	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/15 15:59
S18	1	(encrypt\$3 encod\$3 encipher\$3 scrambl\$3) with key and key with (usage access) near2 (count\$3 total\$3 tally tallies tallied) with key and (over\$1writ\$3 replac\$5) with key and (over\$1writ\$3 replac\$5) with (low\$3 small\$3 infrequent\$2) with key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 16:01

EAST Search History (Prior Art)

S19	126	(encrypt\$3 encod\$3 encipher\$3 scrambl\$3) with key and key with (count\$3 total\$3 tally tallies tallied) with key and (over\$1writ\$3 replac\$5) with key and (over\$1writ\$3 replac\$5) with (low\$3 small\$3 infrequent\$2) with key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 16:02
S20	117	S19 not (S10 S11)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/15 16:02